

Fig. 1





Fig. 2

*Fig. 3*

GENOMIC CLONE MAP




Fig. 4

Title: COMPOSITIONS AND METHODS FOR THE THERAPY AND DIAGNOSIS OF BREAST CANCER

Inventors: Tony N. Frudakis et al. Serial No. Not yet assigned Docket No.: 21021.419C12




Fig. 5B

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE
BREAST-TUMOR SPECIFIC cDNA B18Ag1

TTA GAG ACC CAA TTG GGA CCT AAT TGG GAC CCA AAT TTC TCA AGT GGA 48
Leu Glu Thr Gln Leu Gly Pro Asn Trp Asp Pro Asn Phe Ser Ser Gly
1 5 10 15

GGG AGA ACT TTT GAC GAT TTC CAC CGG TAT CTC CTC GTG GGT ATT CAG 96
Gly Arg Thr Phe Asp Asp Phe His Arg Tyr Leu Leu Val Gly Ile Gln
20 25 30

GGA GCT GCC CAG AAA CCT ATA AAC TTG TCT AAG GCG ATT GAA GTC GTC 144
Gly Ala Ala Gln Lys Pro Ile Asn Leu Ser Lys Ala Ile Glu Val Val
35 40 45

CAG GGG CAT GAT GAG TCA CCA GGA GTG TTT TTA GAG CAC CTC CAG GAG 192
Gln Gly His Asp Glu Ser Pro Gly Val Phe Leu Glu His Leu Gln Glu
50 55 60

GCT TAT CGG ATT TAC ACC CCT TTT GAC CTG GCA GCC CCC GAA AAT AGC 240
Ala Tyr Arg Ile Tyr Thr Pro Phe Asp Leu Ala Ala Pro Glu Asn Ser
65 70 75 80

CAT GCT CTT AAT TTG GCA TTT GTG GCT CAG GCA GCC CCA GAT AGT AAA 288
His Ala Leu Asn Leu Ala Phe Val Ala Gln Ala Ala Pro Asp Ser Lys
85 90 95

AGG AAA CTC CAA AAA CTA GAG GGA TTT TGC TGG AAT GAA TAC CAG TCA 336
Arg Lys Leu Gln Lys Leu Glu Gly Phe Cys Trp Asn Glu Tyr Gln Ser
100 105 110

GCT TTT AGA GAT AGC CTA AAA GGT TTT 363
Ala Phe Arg Asp Ser Leu Lys Gly Phe
115 120

*Fig. 6*NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE
BREAST-TUMOR SPECIFIC cDNA B17Ag1

GC TGGGCACAGT GGCTCATACC TGTAATCCTG ACCGTTTCAG AGGCTCAGGT 60

CG CTTGAGCCCA AGATTTCAAG ACTAGTCTGG GTAACATAGT GAGACCCTAT 120

AA AAATAAAAAA ATGAGCCTGG TGTAGTGGCA CACACCAGCT GAGGAGGGAG 180

CT AGGAGA 196

Fig. 7

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE
BREAST-TUMOR SPECIFIC cDNA B17Ag2

GC TTGGGGGCTC TGACTAGAAA TTCAAGGAAC CTGGGATTCA AGTCCAAC TG 60
AC TTACACTGTG GNETCCAATA AACTGCTTCT TTCCTATTCC CTCTCTATTA 120
AA GGAAAACGAT GTCTGTGTAT AGCCAAGTCA GNTATCCTAA AAGGAGATAC 180
AT TAAATATCAG AATGTAAAAC CTGGGAACCA GGTTCACAGC CTGGGATTAA 240
CA AGAAGACTGA ACAGTACTAC TGTGAAAAGC CCGAAGNGGC AATATGTTCA 300
TT GAAGGATGGC TGGGAGAATG AATGCTCTGT CCCCAGTCC CAAGTCACT 360
CT CCTTTATAGC CTAGGAGA 388

Fig. 8

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE
BREAST-TUMOR SPECIFIC cDNA B13Ag2a

GC CTATAATCAT GTTCTCATT ATTTTCACAT TTTATTAACC AATTCTGTG 60
AA AATATGAGGG AAATATATGA AACAGGGAGG CAATGTTTCA ATAATTGATC 120
TG ATTTCTACAT CAGATGCTCT TTCCTTCCT GTTTATTTCC TTTTATTTT 180
GG TCGAATGTAA TAGCTTTGTT TCAAGAGAGA GTTTTGGCAG TTTCTGTAGC 240
CT GCTCATGTCT CCAGGCATCT ATTTGCACTT TAGGAGGTGT CGTGGGAGAC 300
CT ATTTTTTCCA TATTTGGGCA ACTACTA 337

Fig. 9

0954406080701
FD 2090 0044350

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE
BREAST-TUMOR SPECIFIC cDNA B13Ag1b

GC CATACAGTGC CTTTCCATTT ATTTAACCCC CACCTGAACG GCATAAACTG 60

GC TGGTGTTTTT TACTGTAAAC AATAAGGAGA CTTTGCTCTT CATTTAAACC 120

AT TTCATATTTT ACGCTCGAGG GTTTTTACCG GTTCCTTTTT AACTCCTTA 180

TT TAAGTCGTTT GGAACAAGAT ATTTTTCTT TCCTGGCAGC TTTTAACATT 240

TT TGTGCTGGG GGAAGTCTGG TCACTGTTT TCACAGTTGC AAATCAAGGC 300

CC AAGAAAAAAA AATTTTTTTG TTTTATTTGA AACTGGACCG GATAAACGGT 360

CG GCTGCTGTAT ATAGTTTTAA ATGGTTTATT GCACCTCCTT AAGTTGCACT 420

GG GGGGNTTTTG NATAGAAAGT NTTTANTCAC ANAGTCACAG GGACTTTTNT 480

NA CTGAGCTAAA AAGGGCTGNT TTTCGGGTGG GGGCAGATGA AGGCTCACAG 540

TC TCTTAGAGGG GGGAACTNCT A 571

Fig. 10

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE
BREAST-TUMOR SPECIFIC cDNA B13Ag1a

TA ATAAC T T A A A T A T A T T T T G A T C A C C C A C T G G G G T G A T A A G A C A A T A G A T A 60

T T T C C A A A A A G C A T A A A A C C A A A G T A T C A T A C C A A C C A A T T C A T A C T G C T 120

C C G C A C T G A A A C T T C A C C T T C T A A C T G T C T A C C T A C C A A A T T C T A C C C T T C 180

G G T G C G T G C T C A C T A C T C T T T T T T T T T T T T T T T N T T T T G G A G A T G G A G T C 240

C A G C C A G G G G T G G A G T A C A A T G G C A C A C C T C A G C T C A C T G N A A C C T C C G C 300

T T C A T G A G A T T C T C T G N T T C A G C C T C C C A G T A G C T G G G A C T A C A G G T G T G 360

T G C C T G G N T A A T C T T T T T T N G T T T T N G G G T A G A G A T G G G G G T T T A C A T G T T 420

T G G T N T C G A A C T C C T G A C C T C A A G T G A T C C A C C A C C T C A G G C T C C C A A A G T 480

T A C A G A C A T G A G C C A C T G N G C C A G N C C T G G T G C A T G C T C A C T T C T A G G C 540

Fig. 11

093440-004350
FD-2000-004350

6

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE
BREAST-TUMOR SPECIFIC cDNA B11Ag1

TG CACATGCAGA ATATTCTATC GGTACTTCAG CTATTACTCA TTTTGATGGC 60
AG CCTATCCTCA AGATGAGTAT TTAGAAAGAA TTGATTTAGC GATAGACCAA 120
GC ACTCTGACTA CACGAAATTG TTCAGATGTG ATGGATTTAT GACAGTTGAT 180
GA GATTATTAAG TGATTATTTT AAAGGGAATC CATTAATTCC AGAATATCTT 240
TC AAGATGATAT AGAAATAGAA CAGAAAGAGA CTACAAATGA AGATGTATCA 300
TA TTGAAGAGCC TATAGTAGAA AATGAATTAG CTGCATTTAT TAGCETTACA 360
TT TTCCTGATGA ATCTTATATT CAGCCATCGA CATAGCATTG CCTGATGGGC 420
GA ATAATAGAAA CTGGGTGCGG GGCTATTGAT GAATTCATCC NCAGTAAATT 480
AC AAAATATAAC TCGATTGCAT TTGGATGATG GAATACTAAA TCTGGCAAAA 540
GG AGCTACTAGT AACCTCTCTT TTTGAGATGC AAAATTTTCT TTTAGGGTTT 600
CT ACTTTACGGA TATTGGAGCA TAACGGGA 638

Fig. 12

F04090-004360

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE
BREAST-TUMOR SPECIFIC cDNA B3CA3c

ACTGATGGAT GTCGCCGGAG GCGAGGGGCC TTATCTGATG CTCGGCTGCC TGTTCTGAT 60
GTGCGCGGCG ATTGGGCTGT TTATCTCAAA CACCGCCACG GCGGTGCTGA TGGCGCCTAT 120
TGCCTTAGCG GCGGCGAAGT CAATGGGCGT CTCACCCTAT CCTTTGCCA TGGTGGTGGC 180
GATGGCGGCT TCGGCGGCGT TTATGACCCC GGTCTCCTCG CCGGTTAACA CCCTGGTGCT 240
TGGCCCTGGC AAGTACTCAT TTAGCGATTT TGTCAAATA GGCCTG 286

Fig. 13

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE
BREAST-TUMOR SPECIFIC cDNA B9CG1

AG CAGCCCCCTC TTCTCAATTT CATCTGTAC TACCTGGTG TAGTATCTCA 60
CA TTTTATAGC CTCCTCCCTG GTCTGTCTTT TGATTTTCCT GCCTGTAATC 120
AC ATAAGTCAA GTAAACATTT CTAAAGTGTG GTTATGCTCA TGCACTCCT 180
AA ATAGTTTCCA TTACCGTCTT AATAAAATTC GGATTTGTTC TTTNCTATTN 240
CA CCTATGACCG AA 262

Fig. 14

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE
BREAST-TUMOR SPECIFIC cDNA B9CG3

AG CAAAGCCAGT GGT TTGAGCT CTCTACTGTG TAAACTCCTA AACCAAGGCC 60
TA AATGGTGGCA GGATTTTAT TATAAACATG TACCCATGCA AATTCCTAT 120
GA TATATTCTTC TACATTTAAA CAATAAAAAT AATCTATTTT TAAAAGCCTA 180
AG TTAGGTAAGA GTGTTTAATG AGAGGGTATA AGGTATAAAT CACCAGTCAA 240
TG CCTATGACCG A 261

Fig. 15

T04090-004361

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE
BREAST-TUMOR SPECIFIC cDNA B2CA2

| | |
|-------------------------------------------------------------------|-----|
| CGACGTCGGT AAAATCGGAC ATGAAGCCAC CGCTGGTCTT TTCGTCCGAG CGATAGGCGC | 60 |
| CGGCCAGCCA GCGGAACGGT TGCCCGGATG GCGAAGCGAG CCGGAGTTCT TCGGACTGAG | 120 |
| TATGAATCTT GTTGTGAAAA TACTCGCCGC CTCGTTCGA CGACGTCGCG TCGAAATCTT | 180 |
| CGAACTCCTT ACGATCGAAG TCTTCGTGGG CGACGATCGC GGTCAGTTCC GCCCCACCGA | 240 |
| AATCATGGTT GAGCCGGATG CTGCCCCCGA AGCCCT | 276 |

Fig. 16

T02080-00442550

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE
BREAST-TUMOR SPECIFIC cDNA B3CA1

| | |
|--------------------------------------------------------------------|-----|
| CCCAGGTCAA CCAGGCTGCA ACACGCAGGT CTTGGATTG GGCACGAAGC AGCGCTTCGC | 60 |
| TGTTTTCCAG GATTTTCAAC CAGTCGGTCT GGCCGTTCTC ATGGAGCGAG AGCGCCTTGC | 120 |
| CCAGCTCATT TTCCAGCGCC TCGTATTCGC TGGAAAAACG CACATCCTCA CCCGCAAAGA | 180 |
| CATCCTTTGA AATCGGCTGT TCCGCGAGTT CCAGATANTG CGAGGAGAGC TTGCTCGAAT | 240 |
| AGGTCATCCT AACCCCTTCAA TGCACACCAT GTGCGCCAAT GAATATCTTA ACAATTCAAC | 300 |
| TAGTTGGCAT AANAACCGAA CGAAAATCCC AATAGTCTGA AGAGCTCTTT TG | 352 |

Fig. 17

T04080-00472559

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE
BREAST-TUMOR SPECIFIC cDNA B3CA2

| | |
|-------------------------------------------------------------------|-----|
| CTGCATGTCC ACGGCCTGGA TTTACGGGTG GTCGGCGTTC ACCCCTGGCA GCTGGCGCTC | 60 |
| TTCCCGACCA GGCCAGCAG GATGTGTGGG GCAAGGATAA CGGCGTGCGC ATCGCCTCGA | 120 |
| CCTATATGCC TACTGGCAAG GCCGAGCCCG TGAAGGCGG ATTCAGGTTC ANCGGTCGCT | 180 |
| GGAGCTTTTC CACCGGCTCC ATGCATTGTG ACTGGCTGTT TCTAGGCGGT CTGTTGCCCA | 240 |
| AGCGTGATGG TACGTCTGGC CTGGAGCATG TGACTTTCTG | 280 |

Fig. 18

T02030-00442659

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE
BREAST-TUMOR SPECIFIC cDNA B3CA3

AG GGAGCAAGGA GAAGGCATGG AGAGGCTCAN GCTGGTCCTG GCCTACGACT 60

CT GTCGCCGGGG ATGGTGGAGA ACTGAAGCGG GACCTCCTCG AGGTCCCTCCG 120

TC NCCGTCCAGG AGGAGGGTCT TCCGTGGTC TNGGAGGAGC GGGGGGAGAA 180

TC ATGGTCNACA TCCC

204

Fig. 19

T02080-0044555

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE
BREAST-TUMOR SPECIFIC cDNA B4CA1

TC AGGAGCGGGT AGAGTGGCAC CATTGAGGGG ATATTCAAAA ATATTATTTT 60

TG ATAGTTGCTG AGTTTTTCTT TGACCCATGA GTTATATTGG AGTTTATTTT 120


CC AATCGCATGG ACATGTTAGA CTTATTTTCT GTTAATGATT NCTATTTTAA 180

GA TTTGAGAAAT TGGTTNTTAT TATATCAATT TTTGGTATTT GTTGAGTTTG 240

GC TTAGTATGTG ACCA

264

*Fig. 20*092440-004250
FDZ080-004250

*Fig. 21A*






Fig. 21B

*Fig. 22*

*Fig. 23*

Recognition of Tumor Cell Lines by Clone A1




Fig. 24